

Notice of Allowability	Application No.	Applicant(s)
	10/743,497	ONO, SHINJI
	Examiner Aaron M. Richer	Art Unit 2628

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. This communication is responsive to amendment filed March 10, 2006.
2. The allowed claim(s) is/are 8.
3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) All
 - b) Some*
 - c) None
 of the:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) including changes required by the Notice of Draftperson's Patent Drawing Review (PTO-948) attached
 - 1) hereto or 2) to Paper No./Mail Date _____.
 - (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. Notice of References Cited (PTO-892)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)
3. Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____
4. Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. Notice of Informal Patent Application (PTO-152)
6. Interview Summary (PTO-413),
Paper No./Mail Date _____.
7. Examiner's Amendment/Comment
8. Examiner's Statement of Reasons for Allowance
9. Other _____.

DETAILED ACTION

Allowable Subject Matter

1. Claim 8 is allowed.
2. As described in previous Office Actions, Adachi (U.S. Patent 5,886,652) discloses red, green, and blue codes adjusted based on their lengths. Kim (U.S. Publication 2003/0025709) discloses cutting off codes based on a ratio of red, green, and blue bits and switching between ratios. Hong (U.S. Patent 5,301,032) discloses a ratio picked by comparing a single code with a number of bits to a total bit length.

With respect to a ratio unit which has a use selector for providing a predetermined use ratio to a switching unit, the "indoors"/"outdoors" ratio switching portion of Kim discloses this limitation (p. 3, paragraphs 0064-0071; fig. 4). With respect to an enable signal generator which generates different kinds of code signals based on code lengths, the adjustment portion of Adachi discloses this limitation (col. 1, lines 10-21). None of these references includes generating different kinds of code signals based *in part* on code lengths stored in a second buffer which correspond to lengths of the original codes outputted from coders, *and in part* on a ratio output by a switching unit which corresponds to either a previously set ratio or a ratio determined from code lengths as a portion of total code lengths in a second adders. While it is possible to combine the teachings of Kim and the teachings of Adachi to arrive at an invention that uses code lengths and ratios separately to determine final output codes, combination of the references would not lead one to make an invention that used Kim in part and Adachi in part to make a single output code.

3. The following is an examiner's statement of reasons for allowance:

The prior art does not disclose "wherein the adjustment unit has an enable signal generator which generates a plurality of different kinds of effective code signals based in part on the code lengths stored in the second buffer and based in part on the one ratio output by the switching unit", with the other limitations of claim 8.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."


Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Aaron M. Richer whose telephone number is (571) 272-7790. The examiner can normally be reached on weekdays from 8:30AM-5:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kee Tung can be reached on (571) 272-7794. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

AMR
3/21/06


Kee M. Tung
Primary Examiner